DEPARTMENT OF VETERANS AFFAIRS Federal Supply Service Authorized Federal Supply Schedule Price List



V797P-4320a

FSC Group 65, Part II, Section A FSC Class: 6530

Medical Equipment and Supplies

CONTRACTOR:

Baxter Healthcare Corporation Government Sales and Operations One Baxter Parkway Deerfield, IL 60015 Phone: (800) 777-2298

Fax: (888) 373-4666 E-mail: fedgov@baxter.com

PERFORMANCE PERIOD:

July 15, 2002 through July 14, 2012

Business size: Large Tax I.D. No.: 36 2604143

CUMULATIVE EDITION #38 EFFECTIVE 08/05/2010

THIS CUMULATIVE INCLUDES ALL CHANGES UP TO MODIFICATION 58



TABLE OF CONTENTS

COVER PAGE	PAGE 1
TABLE OF CONTENTS	PAGE 2
INFORMATION FOR ORDERING OFFICES	PAGE 3
WARRANTY INFORMATION- MEDICATION DELIVERY	PAGE 4
ORDERING INFORMATION AND TERMS OF SALES	PAGE 5
ANESTHESIA- InfusO.R. & AUTO SYRINGE (Model AS50A) PUMP SETS	PAGE 6
PAIN MANAGEMENT – I PUMP	PAGE 6
PAIN MANAGEMENT – I PUMP & AP II™ PUMP SETS	PAGE 7
PAIN MANAGEMENT – PCA II™ PUMP ASSOCIATED SETS	PAGE 8
SMART INFUSION SYSTEM - SIGMA SPECTRUM SMART SYSTEM	PAGE 9
SMART INFUSION SYSTEM – ASSOCIATED CARRIERS	PAGE 10
INJECTION SITE PRODUCTS	PAGE 10
NEEDLE*LOCK DEVICE PRODUCTS	PAGE 10
SYRINGE FILLING PRODUCTS	PAGE 10
CATHETER EXTENSION SETS	PAGE 11
T-CONNECTOR EXTENSION SETS	PAGE 11
SOLUTION SETS	PAGE 12
CONTINU-FLO SETS	PAGE 13
BURETROL SOLUTION SETS	PAGE 14
SECONDARY MEDICATION SETS	PAGE 14
EXTENSION SETS	PAGE 15
CONTROL-A-FLO REGULATOR SETS	PAGE 15
IV FILTRATION SETS	PAGE 16
MULTIPORT MANIFOLDS AND SETS	PAGE 17
STOPCOCKS AND SETS	PAGE 17-18
FLOLINK	PAGE 18
BLOOD SETS	PAGE 19
SPECIAL APPLICATIONS	PAGE 20
ACCESSORIES	PAGE 20
NUMERICAL INDEX	PAGE 21



INFORMATION FOR ORDERING OFFICES:

CONTRACTOR:

Baxter Healthcare Corporation Government Sales & Operations One Baxter Parkway Deerfield, IL 60015 (847) 948-4675 or (847) 948-4660

- 1. SPECIAL ITEM NUMBER (S): A-44 (PAGES 6-8, 20); A-64 (PAGES 9-20)
- 2. MAXIMUM ORDER LIMITATION: \$100,000
- 3. MINIMUM ORDER: \$100.00 for products on Pages 7-20
- 4. GEOGRAPHIC COVERAGE: 50 States, District of Columbia and Puerto Rico
- 5. PRODUCTION POINTS: See Attached
- 6. **DISCOUNT**: Prices shown herein are net (Discounts deducted).
- 7. QUANTITY DISCOUNTS:

Apply to only these items: A-64 - 35700BAX

Quantity discounts require that pumps be purchased on one (1) purchase order and shipped to one (1) destination.

- PROMPT PAYMENT TERMS: Net 30.
- 9a. GOVERNMENT CREDIT CARD: Accepted up to micro-purchase threshold.
- 9b. DISCOUNTS FOR GOVERNMENT CREDIT CARD: None.
- 10. FOREIGN ITEMS: None
- 11a. TIME OF DELIVERY: within 30 days ARO
- 11b. ITEMS AVAILABLE FOR EXPEDITED DELIVERY ARE NOTED IN THIS PRICE LIST.
- 11c. **EXPEDITED DELIVERY**: within 48 72 hours ARO, with the ordering facilities to pay the difference between normal and expedited freight charges.
- 11d. URGENT REQUIREMENTS Contact Contractors Representative, Heather O'Brien, at 847-948-4675 to affect a faster delivery.
- 12. FOB POINT (S): Destination to the 48 contiguous states, District of Columbia, point of exportation to Alaska, Hawaii, and Puerto Rico.
- 13. ORDERING ADDRESS: BAXTER HEALTHCARE CORPORATION

GOVERNMENT CUSTOMER SERVICE CENTER

ONE BAXTER PARKWAY DEERFIELD, IL 60015

PHONE: 800.777.2298 FAX: 1.888.373.4666 E-mail: fedgov@baxter.com

- 14. PAYMENT ADDRESS: As shown on invoice.
- 15. WARRANTY: See Attached.
- 16. EXPORT PACKING CHARGES: N/A
- 17. TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD ACCEPTANCE

(any thresholds above the micro-purchase level): Accepted, no discount.

- 18. TERMS AND CONDITIONS OF RENTAL, MAINTENANCE, AND REPAIR: N/A
- 19. TERMS AND CONDITIONS OF INSTALLATION: N/A
- 20a. TERMS AND CONDITIONS OF REPAIR PARTS INDICATING DATE OF PART PRICE LISTS AND DISCOUNTS FROM THE LIST PRICES:

 N/A
- 20b. TERMS AND CONDITIONS FOR ANY OTHER SERVICES: N/A
- 21. SERVICE AND DISTRIBUTION POINTS: See attached
- 22. LIST OF PARTICIPATING DEALERS: None
- 23. PREVENTIVE MAINTENANCE: N/A
- 24. YEAR 2000 (Y2K) COMPLIANT: Yes.
- 25. ENVIRONMENTAL ATTRIBUTES: N/A
- 26. DUNS I.D. NO.: 00 508 3209
- 27. REGISTERED WITH CENTRAL CONTRACTING REGISTRATION (CCR)



Government Warranty

Baxter Healthcare Corporation warrants that product(s) it manufactures, when used in accordance with the directions on the labeling, is fit for the purposes and indications described in the labeling. Products distributed by Baxter are warranted by their manufacturer.

Baxter warrants that each article of food, drug, device, or cosmetic (collectively, the "Products") delivered hereunder to the U.S. Department of Veterans Affairs and each authorized FSS user (collectively, "Purchasers") will not at the time of each shipment or delivery be adultered or misbranded within the meaning of the Federal Food, Drug, and Cosmetic Act (the "Act"), or within the meaning of any applicable federal, state, or local law, in which the definitions of "adulteration" or "misbranding" are substantially the same as those contained in the Act, as the Act and such laws are in effect at the time of such shipment or delivery, nor will such food, drug, device, or cosmetic be an article which may not, under the provisions of Section 404, 505, and/or 512 of the Act, be introduced or delivered for introduction into interstate commerce. The Products shipped to the Purchaser will at the time of shipment be in compliance with all applicable laws, standards, practices, and regulations.

Unless the product is used in accordance with its instructions, these warranties are void and of no effect.

THERE ARE NO OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR

PURPOSE. Modifications, alterations, recalibrations, misuse or abuse, and service by other than a Baxter authorized representative may void the warranty. Except as otherwise provided by an express or implied warranty, Baxter, as contractor, will not be liable to the Government in a breach of warranty action for consequential damages resulting from any defect or deficiencies in accepted items.





ORDERING INFORMATION AND TERMS OF SALES:

Return Goods Policy

Returns are subject to the following provisions:

- To receive 100% credit, items SHIPPED IN ERROR or ORDERED IN ERROR can be returned in their unopened, original carton within 30 days of shipment. Your local Customer Service Representative must be notified. Items SHIPPED IN ERROR and ORDERED IN ERROR can be returned FREIGHT COLLECT. The return is to be shipped to the nearest Distribution Center. The Baxter Representative must authorize these returns.
- If items SHIPPED IN ERROR or ORDERED IN ERROR are not returned within 30 days of shipment, they will be considered EXCESS STOCK and will be subject to the EXCESS STOCK restrictions.

Excess Stock Policy

EXCESS STOCK eligible for return must be preauthorized in writing by your Baxter Representative.

- A. Authorized returns will be credited at 80% of the original purchase price.
- B. Unauthorized returns will be returned to the customer FREIGHT COLLECT – or at the option of Baxter may be retained and credited at a maximum of 60% of the original purchase price.
- C. EXCESS STOCK must be returned-FREIGHT PRE-PAID.

Products NOT ELIGIBLE for Return For Credit as EXCESS STOCK are:

- Solutions, excluding frozen premix medications with less than 6 months to expiration.
- B. Solution, Blood, Filter, Transfer and Irrigation Administration Sets.
- C. Sell-off products or products sold on a no-return basis.
- D. INTERLINK® System products (except pre-filled syringes).
- E. Frozen Premix medications and perishable products.
- F. Promotional sales products.
- G. Unannounced or unauthorized product returns.
- H. Intralipid1 IV Fat Emulsion.
- I. Discontinued products.
- Products which are not in their unopened original carton (resealed or partial cases).
- K. Products which are in an unsaleable condition through no fault of Baxter.
- Products which are currently not in production or which do not appear in the current catalog.
- M. Capital Equipment.
- N. Prefilled Analgesic Syringes.

IF THERE ARE ANY QUESTIONS REGARDING A PRODUCT RETURN, PLEASE CONTACT YOUR BAXTER HEALTHCARE CORPORATION REPRESENTATIVE.

Damages

Due to the nature of our products, the contents are subject to damage in transit to the customer. In an effort to minimize a delay in resolution of a damage or shortage claim, all orders should be counted and inspected prior to acceptance of delivery from the carrier.

Any exception should be noted on your copy of the carrier freight bill and the driver should countersign that document. This document should be forwarded to your Customer Service Specialist along with a copy of our packing list. The more details you give us, the faster an adjustment can be made.

Points Of Production

Baxter Healthcare Corporation 600 MTS. Oeste De Entrada Principal Ave. Las Americas Parque Industrial Cartago Cartago, Costa Rica

Baxter Healthcare Corporation 2 Woodlands Industrial Park D Singapore 738750

Baxter Healthcare Corporation 1900 N. Highway 201 Mountain Home, AR 72653

Baxter Healthcare Corporation 200 Bulfinch Drive STE 5 Andover, MA 01810

Baxter Healthcare Corporation 911 North Davis Cleveland, MS 38732

Baxter Healthcare Corporation Road 721 KM 0.3 Aibonito, PR 00705

Labels INC. 9193 High ST Amesbury, MA 01913

Baxter Healthcare Corporation 115 S. Bradley Road Libertyville, IL 60084

Physiometrix, INC Five Billerica Park 101 Billerica Avenue North Billerica, MA 01863

Portex Industrias Unidas DE, BC, SA DE CV Avenue Corporativo #6-I Parque Indust Tijuana 27575 MX 002 Mexico

Baxter Healthcare Corporation 7511 114th Ave. North Largo, FL 33772

¹ Pharmacia-Upjohn



ANESTHESIA- InfusO.R. & Auto Syringe Pump Sets

InfusO.R.™ and AUTO SYRINGE PUMP SETS - OUTRIGHT PURCHASE

2C9215 72" Anti-Siphon Anesthesia Set with a blue stripe for easy identification. 60/CS \$168.84

A-44 Anti-siphon valve prevents inadvertent drug delivery during syringe

changes. Tubing inner diameter 0.040", approximate priming capacity

1.6mL. Sterile.

2C9218 72" Universal Set with a yellow stripe for easy identification. For use with 60/CS

A-44 drugs of higher viscosity. Tubing inner diameter 0.055" approximate priming

capacity 3.0 mL.

\$105.40

PAIN MANAGEMENT – I-Pump

I-PUMP

The I-pump is designed for all pain management infusional therapies: PCA, Basal + PCA, and Continuous Infusion. It is indicated for intravenous, subcutaneous and epidural use. Programmable in milliliters, milligrams or micrograms. The pump can be configured to specific modes of operation, units of programming and therapy parameters. The pump includes: 250E bag cover, carrying case, patient control cord, two keys, user's manual, quick reference guide, and one year warranty.



2L3107 I-Pump A-44

Standard 1-Yr.
Warranty

\$1,895.00



FEDERAL SUPPLY SCHEDULE V797P-4320a – CUMULATIVE EDITION 38 PAIN MANAGEMENT – I-Pump (Continued)

I-Pump & AP II™ PUMP ASSOCIATED SETS

2L3511 A-44	Anti-Siphon Luer Lock Pump Set. Attaches to medication bag with Luer Lock connector. Specially designed for use with I-pump or AP II. Anti-Siphon valve to minimize potential for free flow. 102" (2.5 m) approx. overall length, 1.8 mL approx. priming capacity, 0.030" tubing inner diameter.	20/CS	\$130.65
2L3512 A-44	Anti-Siphon Epidural Spike Pump Set. Attaches to medication bag with spike port. Anti-Siphon valve to minimize potential for free flow. Yellow stripe to denote epidural use. To be used with I-pump and AP II. 107" (2.7 m) approx. overall length, 2.4 mL approx. priming capacity, 0.030" tubing inner diameter.	20/CS	\$190.96
2L3513 A-44	Anti-Siphon Air Eliminating Spike Set. Attaches to medication bag with spike port. Air eliminating 0.22 micron filter. Anti-Siphon valve to minimize potential for free flow. To be used with I-pump and AP II. 110" (2.8 m) approx. overall length, 2.7 mL approx. priming capacity, 0.030" tubing inner diameter.	20/CS	\$220.10
2L3520 A-44	Anti-Siphon Air Eliminating Luer Lock Set. Attaches to medication bag with Luer Lock connector. Air eliminating 0.22 micron filter. Anti-Siphon valve to minimize potential for free flow. To be used with I-pump and AP II. 106" (2.7 m) approx. overall length, 2.1 mL approx. priming capacity, 0.030" tubing inner diameter.	20/CS	\$240.65
2L3522 A-44	Anti-Siphon Epidural Spike Set for 500 mL Lock Box. Attaches to medication bag with administration port. 16 inch upper segment to accommodate the 500 mL cover. Yellow stripe on the lower segment, to denote epidural use. To be used with I-pump and AP II. 121" (3.1 m) approx. overall length, 2.8 mL approx. priming capacity, 0.030" tubing inner diameter.	20/CS	\$190.96



diameter.

PAIN MANAGEMENT- PCA II System

	PCA II Pump Associated Sets		
2L3506 A-44	Anti-reflux "Y" Set. Removable non-latex injection port for intermittent injections or connection of additional line with back check valve. 8" (0.2 m) approx. overall length, 1.4 mL approx. priming capacity, 0.061" tubing inner diameter.	50/CS	\$198.99
2L3508 A-44	Anti-Siphon PCA Extension Set. Compatible with Baxter Prefilled Syringes and 60 cc BD or Monoject syringes. Anti-Siphon valve prevents inadvertent syringe siphoning. Non-latex injection port. 98" (2.5 m) approx. overall length, 2.4 mL approx. priming capacity, 0.039" tubing inner diameter.	50/CS	\$142.66
2L3509 A-44	Anti-Siphon PCA Combination Set with Anti-Reflux "Y" Set. Compatible with Baxter Prefilled Syringes and 60 cc BD or Monoject syringes. Non-latex injection port. Anti-Siphon valve prevents inadvertent syringe siphoning. 102" (2.6 m) approx. overall length, 3.3 mL approx. priming capacity, 0.039" tubing inner diameter.	50/CS	\$251.07
2L3511 A-44	Anti-Siphon Luer Lock Pump Set. Attaches to medication bag with Luer Lock connector. Specially designed for use with I-pump or AP II. Anti-Siphon valve to minimize potential for free flow. 102" (2.5 m) approx. overall length, 1.8 mL approx. priming capacity, 0.030" tubing inner diameter.	20/CS	\$130.65
2L3520 A-44	Anti-Siphon Air Eliminating Luer Lock Set. Attaches to medication bag with Luer Lock connector. Air eliminating 0.22 micron filter. Anti-Siphon valve to minimize potential for free flow. To be used with I-pump and AP II. 106" (2.7 m) approx. overall length, 2.1 mL approx. priming capacity, 0.030" tubing inner	20/CS	\$240.65



SMART INFUSION SYSTEM – Sigma Spectrum Smart System Exclusively distributed by Baxter

Sigma Spectrum Smart Infusion System

The Sigma Spectrum Smart Infusion System is comprised of product codes 35700BAX, 35724, and SSL5YR

35700BAX A-64	Spectrum Pump	1 – 950 Units	\$2,989.88
		951 – 4000 Units	\$2,738.63
35724 A-64	Spectrum Standard Battery	1/EA	\$75.38
SSL5YR A-64	Software License Fee (5 Years)	1/EA	\$201.00

Quantity Pricing

Pumps must be purchased on one (1) purchase order and shipped to one (1) destination to receive a quantity discount.





SMART INFUSION SYSTEM – Sigma Spectrum Smart System Accessories

Sigma Spectrum Smart Infusion System Associated Carriers

55092NS A-64	Tandem Mount Carrier (2 Pump carrier) Stainless up-right tube and aluminum plate. C-Clamp jaw opening expands to 1.5". Knob comes off if semi-permanent attachment of carrier is desired.	1/EA	\$175.88
55093 A-64	Triple Mount Carrier (3 Pump Carrier) Stainless up-right tubes and aluminum plate. Includes, UL CSA four outlet power strip for multi pole plug in (1 cord from IV pole to wall outlet). C-Clamp jaw opening expands to 1.5". Knob comes off if semi-permanent attachment of carrier is desired.	1/EA	\$226.13
550881 A-64	Five Mount Carrier (5 Pump Carrier) Stainless up-right and white aluminum plate. Patient support ring attached to rear of plate. Includes, UL CSA six outlet power strip for multi pole plug in (1 cord from IV pole to wall outlet). Heavy-duty 6-leg base with 3" soft rubber casters. Adjustable high stainless steel pole with 7 hook top.	1/EA	\$646.73

INJECTION SITE PRODUCTS

INJECTION SITES

2N3379 A-64	INTERLINK Injection Site with male Luer lock adapter. Sterile Package. non-DEHP, non-PVC.	800/CS	\$760.91
2N3399 A-64	INTERLINK Injection Site with male Luer lock adapter. Sterile package. non-DEHP, non-PVC.	200/CS	\$182.91
2N8399 A-64	CLEARLINK Luer Activated Valve with male Luer lock adapter. Sterile Package. non-DEHP, non-PVC.	200/CS	\$270.18

NEEDLE*LOCK DEVICE PRODUCTS

NEEDLE*LOCK DEVICES

2N8300 CLEARLINK Y-site Adapter - Needle Lock Device 200/CS \$408.92 A-64

SYRINGE FILLING PRODUCTS

VIAL ADAPTERS

2N3394 A-64	INTERLINK 20 mm Vial Adapter. Sterile package. non-DEHP, non-PVC.	200/CS	\$271.60
2N3395 A-64	INTERLINK Universal Vial Adapter. Sterile package. non-DEHP, non-PVC.	240/CS	\$325.92



CATHETER EXTENSION SETS

MICROBORE CATHETER EXTENSION SETS			
2N3373 A-64	Microbore I.V. Connector Loop with 1 INTERLINK injection site and male Luer lock adapter with rotating collar. Sterile package. Approx. volume 0.5 mL. Approx. overall length 4" (10 cm). non-DEHP.	200/CS	\$379.14
2N3374 A-64	Microbore I.V. Catheter Extension Set with 1 INTERLINK injection site and male Luer lock adapter. Sterile package. Approx. volume 0.5 mL. Approx. overall length 6" (15.2 cm). non-DEHP.	200/CS	\$385.42
2N8374 A-64	Microbore I.V. Catheter Extension Set with 1 CLEARLINK Luer activated valve and male Luer Lock adapter. Sterile package. Approx. volume 0.6 mL Approx. overall length 8" (20.3 cm). non-DEHP.	50/CS	\$117.56
	STANDARD BORE CATHETER EXTENSION SETS		
2N3375 A-64	Standard Bore I.V. Catheter Extension Set with 1 INTERLINK injection site and male Luer lock adapter. Sterile package. Approx. volume 0.9 mL. Approx. overall length 5" (12.7 cm). non-DEHP.	200/CS	\$418.08
2N3376 A-64	Standard Bore Y-Type Catheter Extension Set with 2 INTERLINK injection sites and male Luer lock adapter. Sterile package. Approx. volume 1.6 mL. Approx. overall length 5" (12.7 cm). non-DEHP.	200/CS	\$621.34
2N3378 A-64	Standard Bore I.V. Catheter Extension Set with 1 INTERLINK injection site and male Luer lock adapter with retractable collar. Sterile package. Approx. volume 0.9 mL. Approx. overall length 5" (12.7 cm). non-DEHP.	200/CS	\$435.92
2N8378 A-64	Standard Bore I.V. Catheter Extension Set with 1 CLEARLINK Luer activated valve and male Luer lock adapter with retractable collar. Sterile package. Approx. volume 1.0 mL. Approx. overall length 6" (15 cm).	50/CS	\$122.87

T-CONNECTOR EXTENSION SETS

MICROBORE T-CONNECTOR EXTENSION SET

2N3328	Microbore T-Connector Extension Set with 1 INTERLINK T-connector injection site and	200/CS	\$312.56
A-64	rotating male Luer lock adapter. Sterile package. Approx. t-housing volume 0.21 mL.		
-	Approx. total volume 0.40 ml., Approx. overall length 6" (15.3 cm), non-DEHP.		



SOLUTION SETS

A-64

	SOLUTION SETS (10 drops/mL)		
2C6401 A-64	Solution Set with 1 INTERLINK injection site 6" from male Luer lock adapter. Lever lock cannula (detached). Approx. drops per mL 10. Approx. overall length 76" (1.9 m). S *	48/CS	\$72.05
2C6419 A-64	Solution Set with DUO-VENT spike and 1 INTERLINK injection site 6" from male Luer lock adapter. Approx. drops per mL 10. Approx. overall length 92" (2.3 m). S *	48/CS	\$74.89
2C6425 A-64	Solution Set with 2 INTERLINK injection sites 6" and 30" from male Luer lock adapter. Approx. drops per mL 10. Approx. overall length 101" (2.6 m). S *	48/CS	\$60.26
2C8401 A-64	Solution Set with 1 CLEARLINK Luer activated valve 6" from male Luer lock adapter. Approx. drops per mL 10. Approx. overall length 76" (1.9 m), non-DEHP. S *	48/CS	\$116.36
2C8419 A-64	Solution Set with DUO-VENT Spike and 1 CLEARLINK Luer activated valve 6" from male Luer lock adapter. Approx. drops per mL 10. Approx. overall length 92" (2.3 m). S *	48/CS	\$121.81
	MINIDRIP SOLUTION SETS (60 drops/mL)		
2C6402 A-64	Minidrip Solution Set with 1 INTERLINK injection site 6" from male Luer lock adapter. Lever lock cannula (detached). Approx. drops per mL 60. Approx. overall length 76" (1.9 m). S *	48/CS	\$84.27
2C6424 A-64	Minidrip Solution Set with 2 INTERLINK System injection sites 6" and 30" from male Luer lock adapter. Approx. drops per mL 60. Approx. overall length 93" (2.4 m). S *	48/CS	\$105.41
2C8402	Minidrip Solution Set with 1 CLEARLINK Luer activated valve 6" from male Luer lock	48/CS	\$121.81

adapter. Approx. drops per mL 60. Approx. overall length 76" (1.9 m). $\ensuremath{\mathbf{S^*}}$

S* indicates set has tubing that is compatible with the COLLEAGUE Series Volumetric Infusion Pumps and FLO-GARD 6201 and 6301 Series Volumetric Infusion Pumps.

^{**} Filter has passed bacterial and pyrogen retention testing for 96 hours. Replace set per CDC guidelines.



CONTINU-FLO SOLUTION SETS

CONTINU-FLO SOLUTION SETS (10 drops/mL)			
2C6519 A-64	CONTINU-FLO Solution Set with 2 INTERLINK injection sites 6" and 70" from male Luer lock adapter. Approx. drops per mL 10. Approx. overall length 89" (2.3 m). S *	48/CS	\$111.62
2C6537 A-64	CONTINU-FLO Solution Set with 3 INTERLINK System injection sites 6", 42" and 90" from male Luer lock adapter. Approx. drops per mL 10. Approx overall length 110" (2.8 m). S *	48/CS	\$116.92
2C6541 A-64	CONTINU-FLO Solution Set with DUO-VENT spike and 3 INTERLINK injection sites 6", 30" and 86" from male Luer lock adapter. Approx. drops per mL 10. Approx. overall length 106" (2.7 m). S *	48/CS	\$142.90
2C8519 A-64	CONTINU-FLO Solution Set with 2 CLEARLINK Luer activated valves 6" and 94" from male Luer lock adapter. Approx drops per mL 10 approx overall length 113" (2.9m). S *	48/CS	\$157.06
2C8537 A-64	CONTINU-FLO Solution Set with 3 CLEARLINK Luer activated valves 6", 42", and 90" from male Luer lock adapter. Approx. drops per mL 10. Approx. overall length 110" (2.8m). S *	48/CS	\$166.91
	MINIDRIP CONTINU-FLO SOLUTION SETS (60 drops/n	<u>nL)</u>	
2C6520 A-64	Minidrip CONTINU-FLO Solution Set with 2 INTERLINK injection sites 6" and 70" from male Luer lock adapter. Approx. drops per mL 60. Approx. overall length 89" (2.3 m). S *.	48/CS	\$131.78
2C6546 A-64	Minidrip CONTINU-FLO Solution Set with 3 INTERLINK System injection sites 6", 42" and 86" from male Luer lock adapter. Approx. drops per mL 60. Approx. overall length 106" (2.7 m). S *.	48/CS	\$140.95

S* indicates set has tubing that is compatible with the COLLEAGUE Series Volumetric Infusion Pumps and FLO-GARD 6201 and 6301 Series Volumetric Infusion Pumps.

^{**} Filter has passed bacterial and pyrogen retention testing for 96 hours. Replace set per CDC guidelines.



BURETROL SOLUTION SETS

BURETROL SOLUTION SETS			
2C7562 A-64	BURETROL Solution Set with 150 mL INTERLINK burette (valveless) and 3 INTERLINK injection sites 6", 39" and 87" from male Luer lock adapter. Approx. drops per mL 60. Approx. overall length 115" (2.9 m). S *	12/CS	\$62.41
2C7564 A-64	BURETROL Solution Set with 150 mL INTERLINK burette (drip chamber filter valve) and 2 INTERLINK injection sites 6" and 30" from male Luer lock adapter. Approx. drops per mL 60. Approx. overall length 105" (2.7 m). S *	48/CS	\$253.59
2C8819 A-64	BURETROL Solution Set with 150 mL CLEARLINK burette (ball valve drip chamber) and 2 CLEARLINK Luer activated valves 6" and 46" from male Luer lock adapter. Approx. drops per mL 60. Approx. overall length 117" (3.0 m). S *	20/CS	\$144.04

SECONDARY MEDICATION SETS

SECONDARY MEDICATION SETS

2C7461 A-64	Secondary Medication Set with male Luer lock adapter. Hanger for primary solution container is provided. Approx. drops per mL 10. Approx. overall length 37" (94 cm)	48/CS	\$44.20
2C7462 A-64	Secondary Medication Set with DUO-VENT Spike and male Luer lock adapter. Hanger for primary solution container is provided. Approx. drops per mL 10. Approx. overall length 37" (94 cm).	48/CS	\$48.78
2H7463 A-64	Secondary Medication Set with DUO-VENT Spike and male Luer lock adapter. Hanger for primary solution container is provided. Approx. drops per mL 60. Approx. overall length 37" (94 cm). non-DEHP.	48/CS	\$73.45

S* indicates set has tubing that is compatible with the COLLEAGUE Series Volumetric Infusion Pumps and FLO-GARD 6201 and 6301 Series Volumetric Infusion Pumps.

^{**} Filter has passed bacterial and pyrogen retention testing for 96 hours. Replace set per CDC guidelines.



EXTENSION SETS

	EXTENSION SETS		
2C5643 A-64	Extension Set with male Luer lock adapter. Sterile package. Approx. volume 2.1 mL. Approx. overall length 16" (41 cm).	48/CS	\$38.46
2C6606 A-64	Extension Set with 2 INTERLINK System injection sites 6" and 12" from male Luer lock adapter. Approx. volume 3.2 mL. Approx. overall length 21" (54 cm).	48/CS	\$65.43
2C6612 A-64	Extension Set with 2 INTERLINK injection sites 6" and 34" from male Luer lock adapter. Approx. volume 6.1 mL. Approx. overall length 43" (109 cm).	48/CS	\$72.42
2C8606 A-64	Extension Set with 2 CLEARLINK Luer activated valves 6" and 12" from male Luer lock adapter. Sterile package. Approx volume 3.4 mL. Approx overall length 21" (53 cm).	48/CS	\$126.80

CONTROL-A-FLO REGULATOR SETS

CONTINU-FLO SOLUTION SET WITH CONTROL-A-FLO REGULATOR

2C6895 A-64	CONTINU-FLO Solution Set with CONTROL-A-FLO Regulator and 2 INTERLINK injection sites 6" and 76" from male Luer lock adapter. Approx. drops per mL 10. Approx. overall length 96" (2.4 m).	48/CS	\$250.97
	EXTENSION SETS WITH CONTROL-A-FLO REG	<u>ULATORS</u>	
2C6891 A-64	Extension Set with CONTROL-A-FLO Regulator and 1 INTERLINK injection site 6" from male Luer lock adapter. Approx. volume 3.2 mL. Approx. overall length 19" (48 cm).	48/CS	\$193.93

2C8891 Extension Set with CONTROL-A-FLO Regulator and 1 CLEARLINK 48/CS \$213.90

A-64 Luer activated valve 6" from the male Luer lock adapter. Approx volume

3.3 mL. Approx overall length 19" (48 cm).

S* indicates set has tubing that is compatible with the COLLEAGUE Series Volumetric Infusion Pumps and FLO-GARD 6201 and 6301 Series Volumetric Infusion Pumps.

^{**} Filter has passed bacterial and pyrogen retention testing for 96 hours. Replace set per CDC guidelines.



IV FILTRATION SETS

CONTINU-FLO SOLUTION SETS WITH 0.22 MICRON AIR-ELIMINATING FILTER

2C6571 A-64	CONTINU-FLO Solution Set with 0.22 micron high pressure extended life filter** and 2 INTERLINK injection sites 6" and 84" from male Luer lock adapter. Approx. drops per mL 10. Approx. overall length 105" (2.7 m). S *	48/CS	\$202.67
	EXTENSION SETS WITH 0.22 MICRON AIR-ELIMINATING	FILTER	
1C8363 A-64	Extension Set with 0.22 micron high pressure extended life filter**, polyethylene lined tubing and male Luer lock adapter. Sterile package. Approx. volume 4.1 mL. Approx. overall length 8" (20 cm). Fluid path is non-DEHP.	48/CS	\$219.52
2C6671 A-64	Extension Set with 0.22 micron high pressure extended life filter** and 1 INTERLINK injection site 6" from male Luer lock adapter. Sterile package. Approx. volume 5.0 mL. Approx. overall length 16" (41 cm).	48/CS	\$97.02
2C8671 A-64	Extension Set with 0.22 micron high pressure extended life filter** and 1 CLEARLINK Luer activated valve 6" from male Luer lock adapter. Sterile Package. Approx. drops per mL 5.1 mL. Approx overall length 16" (40 cm).	48/CS	\$129.52

S* indicates set has tubing that is compatible with the COLLEAGUE Series Volumetric Infusion Pumps and FLO-GARD 6201 and 6301 Series Volumetric Infusion Pumps.

^{**} Filter has passed bacterial and pyrogen retention testing for 96 hours. Replace set per CDC guidelines.



MULTIPORT MANIFOLDS AND SETS

STAND ALONE MULTIPORT MANIFOLDS

2C9280 2-Port Manifold with inline check valve, port check valves and male Luer lock adapter. 48/CS \$129.52

Approx. Volume: 0.8 mL. Sterile package. non-PVC, non-DEHP. A-64

STOPCOCKS AND SETS

A-64

STAND ALONE LARGE BORE	(LIPID RESISTANT) STOPCOCKS
------------------------	------------------	-------------

	OTTHIS TESTE ETHICE SOILE (EII IS ILEGISTALL) OTT	occito	
2C6201 A-64	3-Way Large Bore (lipid resistant) Stopcock with rotating male Luer lock adapter. Sterile package. non-PVC, non-DEHP.	50/CS	\$44.48
2C6204 A-64	4-Way Large Bore (lipid resistant) Stopcock with rotating male Luer lock adapter. Sterile package. non-PVC, non-DEHP.	50/CS	\$43.43
	STAND ALONE STANDARD BORE STOPCOCKS	<u> </u>	
2C6240 A-64	3-Way Standard Bore Stopcock with rotating male Luer lock adapter. Sterile package. non-PVC, non-DEHP.	50/CS	\$28.45
	BONDED STOPCOCK AND EXTENSION SETS		
2C5603	3-Way Standard Bore Stopcock with extension tubing and male Luer lock adapter.	48/CS	\$73.80

³⁻Way Standard Bore Stopcock with extension tubing and male Luer lock adapter. 48/CS \$73.80

Sterile package. Approx. volume 3.0 mL. Approx. overall length 21" (52 cm).

S* indicates set has tubing that is compatible with the COLLEAGUE Series Volumetric Infusion Pumps and FLO-GARD 6201 and 6301 Series Volumetric Infusion Pumps.

^{**} Filter has passed bacterial and pyrogen retention testing for 96 hours. Replace set per CDC guidelines.



STOPCOCKS AND SETS (Continued)

STOPCOCK SETS

2C6254 CONTINU-FLO Solution Set with 2 CLEARLINK Luer activated valves and male 48/CS \$354.65

A-64 Luer lock adapter. Approx. drops per mL: 10. Approx. length: 89" (2.3 m). + 4-Way

Stopcock Extension Set with two 4-way ganged large bore stopcocks and 1 **CLEARLINK** Luer activated valve and male Luer lock adapter. Approx. overall

length: 35" (89 cm). Approx. volume: 5.7 mL. Sterile package. S*

2C6255 CONTINU-FLO Solution Set with 2 CLEARLINK Luer activated valves and male Luer lock adapter. Approx. drops per mL: 10. Approx. length: 89" (2.3 m). + 4-Way \$312.46

Luer lock adapter. Approx. drops per mL: 10. Approx. length: 89" (2.3 m). + 4-Way Stopcock Extension Set with 4-way large bore stopcock and 2 **CLEARLINK** Luer activated valves and male Luer lock adapter. Approx. overall length: 35" (89 cm).

Approx. volume: 5.6 mL. Sterile package. S*

FLOLINK

A-64

FLOLINK POSITIVE DISPLACEMENT LUER ACTIVATED DEVICE

2N9060 FLOLINK Positive Displacement Luer Activated Device. Sterile package. Approx. 200/CS \$408.02

A-64 volume 0.37 ml, Non-DEHP, non-PVC

STANDARD BORE I.V. CATHETER EXTENSION SET

2N9063 Standard Bore I.V. Catheter Extension Set with 1 FLOLINK positive displacement 50/CS \$166.89

A-64 device and male Luer lock adapter with retractable collar. Sterile package. Approx.

volume 1.0 mL, approx. overall length 6.4" (16 cm). Non-DEHP

MICROBORE I.V. CATHETER EXTENSION SET

2N9068 Microbore I.V. Catheter Extension Set with 1 FLOLINK positive displacement device 50/CS \$173.66

and male Luer lock adapter with retractable collar. Sterile package. Approx volume

0.6 mL, approx. overall length 6.8" (17 cm). Non-DEHP.

S* indicates set has tubing that is compatible with the COLLEAGUE Series Volumetric Infusion Pumps and FLO-GARD 6201 and 6301 Series Volumetric Infusion Pumps.

^{**} Filter has passed bacterial and pyrogen retention testing for 96 hours. Replace set per CDC guidelines.



BLOOD SETS

Y-TYPE BLOOD/SOLUTION SETS	WITH STANDARD BI OOD	EII TED /170 TO 260 MICDON
1-11FE BEOOD/SOLUTION SETS	WITH STANDARD BEOOD	

2C8720 A-64	Y-Type Blood/Solution Set with standard blood filter (170 to 260 micron) and 1 CLEARLINK Luer activated valve 6" from male Luer lock adapter. Approx drops per mL 10. Approx. overall length 104" (2.6 m).	48/CS	\$185.60
2C8750 A-64	Y-Type Blood/Solution Set with standard blood filter (170 to 260 micron) and 1 CLEARLINK valve 6" from male Luer lock adapter. Approx. drops per mL 10. Approx. overall length 112" (2.8 m). S *	48/CS	\$302.02

FENWAL STRAIGHT-TYPE BLOOD/SOLUTION SET WITH LARGE STANDARD BLOOD FILTER (170 TO 260 MICRON)

4C6766	FENWAL Straight-Type Blood Set with large standard blood filter (170 - 260 micron)	48/CS	\$161.07
A-64	and 1 INTERLINK injection site 6" from male Luer lock adapter. Approx. drops per		
	mL 15. Approx. overall length 80" (2.0 m).		

FENWAL Y-TYPE BLOOD/SOLUTION SETS WITH LARGE STANDARD BLOOD FILTER (170 TO 260 MICRON)

2C6714 A-64	Y-Type Blood/Solution Set with large standard blood filter (170 - 260 micron), drip chamber pump and 2 INTERLINK injection sites 6" and 42" from male Luer lock adapter. Approx. drops per mL 10. Approx. overall length 100" (2.5 m).		\$177.95
4C8723 A-64	FENWAL Y-Type Blood/Solution Set with large standard blood filter (170 to 260 micron), pressure pump and 2 CLEARLINK Luer activated valves 6" and 42" from male Luer lock adapter. Approx drops per mL 15. Approx. overall length 99" (2.5 m).	48/CS	\$284.87

S* indicates set has tubing that is compatible with the COLLEAGUE Series Volumetric Infusion Pumps and FLO-GARD 6201 and 6301 Series Volumetric Infusion Pumps.

^{**} Filter has passed bacterial and pyrogen retention testing for 96 hours. Replace set per CDC guidelines.

48/CS

\$284.45



2C7551

SPECIAL APPLICATIONS

NIIK	OGLY	CERIN	SEIS

A-64	INTERLINK injection site 6" from male Luer lock adapter. Approx. drops per mL 60. Approx. overall length 106" (2.7 m). S *	16,00	V 20 10
2C8851 A-64	Vented Nitroglycerin Set with polyethylene lined tubing, 12" PVC pump segment, DUO-VENT Spike, 1 CLEARLINK Luer activated valve 6" from male Luer lock adapter. Approx. drops per mL 60. Approx. overall length 106" (2.7 m). Fluid path is non-DEHP	48/CS	\$259.84

Vented Nitroglycerin Set with polyethylene lined tubing, 12" PVC pump segment and 1

with the exception of the 12" pump segment which contains DEHP. S*

PACLITAXEL SETS

2C7557 A-64	Vented Paclitaxel Set with polyethylene lined tubing, non-DEHP 12" pump segment, 0.22 micron downstream high pressure extended life filter and 1 INTERLINK injection site 6" from male Luer lock adapter. Approx. drops per mL 10. Approx. overall length 111" (2.8 m). Fluid path is non-DEHP. S *	48/CS	\$402.04
2C8857 A-64	Vented Paclitaxel Set with polyethylene lined tubing, non-DEHP 12" pump segment, 0.22 micron downstream high pressure extended life filter, 1 CLEARLINK Luer activated valve 6" from male Luer lock adapter. S*	48/CS	\$484.71

ACCESSORIES

DUAL LUER LOCK CAP

2C6250 A-64	Dual Luer Lock Cap male/female port protector. No open fluid path. Sterile package. non-PVC, non-DEHP.	504/CS	\$110.19
	I-Pump & AP II™ PUMP ACCESSORIES		
2L3210 A-44	AC Adapter for I-pump or AP II	1/EA	\$180.90
2L3211 A-44	Locking Pole Clamp. Includes two keys. For use with PCA II and AP II $^{\mbox{\tiny TM}}$ Pump.	1/EA	\$160.80
	I-Pump & AP II™ PUMP ACCESSORIES		
2L3256 A-44	100 mL Drug Reservoir. Locks inside I-pump and AP II bag covers. 100 mL Reservoir Cover. Polyvinyl chloride (PVC). Female Luer lock adapter. Specialized internal texture insures flow of drug.	10/CS	\$60.23
2L3257 A-44	250 mL Drug Reservoir. Locks inside I-pump and AP II bag covers. 250 mL Reservoir Cover. Polyvinyl chloride (PVC). Female Luer lock adapter. Specialized internal texture insures flow of drug.	10/CS	\$65.32

S* indicates set has tubing that is compatible with the COLLEAGUE Series Volumetric Infusion Pumps and FLO-GARD 6201 and 6301 Series Volumetric Infusion Pumps.

^{**} Filter has passed bacterial and pyrogen retention testing for 96 hours. Replace set per CDC guidelines



NUMERICAL INDEX

		_			_
1C8363	-	Page 16	2C8891	-	Page 15
2C5603	-	Page 17	2C9215	-	Page 6
2C5643	-	Page 15	2C9218	-	Page 6
2C6201	-	J	2C9280	-	- 3 -
2C6204	-	Page 17	2H7463	-	Page 14
2C6240	-	Page 17	2L3107	-	Page 6
2C6250	-	Page 20	2L3210	-	Page 20
2C6254	-	Page 18	2L3211	-	Page 20
2C6255	-	Page 18	2L3256	-	Page 20
2C6401	-	Page 12	2L3257	-	Page 20
2C6402	-	Page 12	2L3506	-	Page 8
2C6419	-	Page 12	2L3508	-	Page 8
2C6424	-	Page 12	2L3509	-	Page 8
2C6425	-	Page 12	2L3511	-	Page 7, 8
2C6519	-	Page 13	2L3512	-	Page 7
2C6520	-	Page 13	2L3513	-	Page 7
2C6537	-	Page 13	2L3520	-	Page 7, 8
2C6541	-	Page 13	2L3522	-	Page 7
2C6546	-	Page 13	2N3328	-	Page 11
2C6571	-	Page 16	2N3373	-	Page 11
2C6606	-	Page 15	2N3374	-	Page 11
2C6612	-	Page 15	2N3375	-	Page 11
2C6671	-	Page 16	2N3376	-	Page 11
2C6714	-	Page 19	2N3378	-	Page 11
2C6891	-	Page 15	2N3379	-	Page 10
2C6895	-	Page 15	2N3394	-	Page 10
2C7461	-	Page 14	2N3395	-	Page 10
2C7462	-	Page 14	2N3399	-	Page 10
2C7551	-	Page 20	2N8300	-	Page 10
2C7557	-	Page 20	2N8374	-	Page 11
2C7562	-	Page 14	2N8378	-	Page 11
2C7564	-	Page 14	2N8399	-	Page 10
2C8401	-	Page 12	2N9060	-	Page 18
2C8402	-	Page 12	2N9063	-	Page 18
2C8419	-	Page 12	2N9068	-	Page 18
2C8519	-	Page 13	4C6766	-	Page 19
2C8537	-	Page 13	4C8723	-	Page 19
2C8606	-	Page 15	35700BAX	-	Page 9
2C8671	-	Page 16	35724	-	Page 9
2C8720	-	Page 19	55092NS	-	Page 10
2C8750	-	Page 19	55093	-	Page 10
2C8819	-	Page 14	550881	-	Page 10
2C8851	-	Page 20	SSL5YR	-	Page 9
2C8857	-	Page 20			3
		.5. = 5			

